



# CERTIFICATE



This is to certify that

## BASF-YPC Company Limited

No 266, Ethylene Road, Luhe District  
210048, Nanjing  
China

Unified Social Credit Code: 91320000710939573X

has implemented and maintains a **Quality Management System**.

Scope:

Manufacturing and sales of basic chemicals, polymers, performance and fine chemicals

Through an audit, documented in a report, it was verified that the management system fulfills the requirements of the following standard:

## ISO 9001 : 2015

|                              |             |
|------------------------------|-------------|
| Certificate registration no. | 403281 QM15 |
| Valid from                   | 2020-12-21  |
| Valid until                  | 2023-12-18  |
| Date of certification        | 2020-12-21  |



### DQS GmbH

Markus Bleher  
Managing Director

Accredited Body: DQS GmbH, August-Schanz-Straße 21, 60433 Frankfurt am Main, Germany  
Administrative Office: DQS AP Ltd., 906-907, Waterfront Place Block E, No.31, Lane 168, Daduhe Road,  
Putuo District, Shanghai, China, Post Code: 200062

The certificate can be verified at [www.dqs-cn.com](http://www.dqs-cn.com) as well as CNCA official website [www.cnca.gov.cn](http://www.cnca.gov.cn).

The certificate will be valid only in case that the certified organization undergoes successful periodic surveillance audit.



**Annex to certificate**  
**Registration No. 403281 QM15**

**BASF-YPC Company Limited**

No 266, Ethylene Road, Luhe District  
210048, Nanjing  
China



| 产品名称 (中文)   | Product Name (English)                                    |
|-------------|---|
| 工业用乙烯       | Ethylene for industrial use-Specification                 |
| 聚合级丙烯       | Propylene for polymerization-Specification                |
| 石油苯         | Petroleum benzene   |
| 石油甲苯        | Petroleum toluene   |
| 石油混合二甲苯     | Petroleum xylene  |
| 炭黑原料油 乙烯焦油  | Oil for use in the carbon black products -Ethylene bottom |
| 工业用裂解碳五     | Cracking C5 fraction for industrial use-Specification     |
| 裂解萘馏分       | Cracking Naphthalene fraction                             |
| 工业用丁二烯      | Butadiene for industrial use -Specification               |
| 工业用异丁烯      | Isobutene for industrial use - Specification              |
| 工业用裂解碳九     | Cracking C9 fraction for industrial use-Specification     |
| 正丁醇         | n-Butanol   |
| 异丁醇         | Isobutanol  |
| 丙醛          | Propionaldehyde   |
| 正丁醛         | n-Butyraldehyde   |
| 异丁醛         | Isobutyraldehyde  |
| 混合戊醛        | Pentanal Mixture  |
| 丙酸          | Propionic Acid Pure                                       |
| 甲酸          | Formic Acid   |
| 无水二甲胺       | Dimethylamine Anhydrous                                   |
| 无水三甲胺       | Trimethylamine Anhydrous                                  |
| 二甲基甲酰胺      | N,N-dimethylformamide (DMF)                               |
| 工业用乙二醇      | Ethylene Glycol for Industrial Use                        |
| 工业用二乙二醇     | Diethylene Glycol for Industrial Use                      |
| 工业用三乙二醇     | Triethylene Glycol for Industrial Use                     |
| 低密度聚乙烯树脂    | Low Density Polyethylene (LDPE) Resin                     |
| 乙烯-乙酸乙烯酯共聚物 | Ethylene-Vinyl Acetate (EVA) Resin                        |
| 工业用粗丙烯酸     | Crude Acrylic Acid for Industrial Use                     |
| 工业用精丙烯酸     | Glacial Acrylic Acid for Industrial Use                   |
| 工业用丙烯酸甲酯    | Methyl Acrylate for Industrial Use                        |
| 工业用丙烯酸正丁酯   | n-Butyl Acrylate for Industrial Use                       |
| 工业用苯乙烯      | Styrene for industrial use                                |
| 普通型聚苯乙烯     | General Purpose Polystyrene (GPPS)                        |
| 高抗冲聚苯乙烯     | High-impact Polystyrene (HIPS)                            |
| 2-丙基庚醇      | 2-Propylheptanol (2-PH)                                   |
| 高活性聚异丁烯     | HR-PolyIsoButene (HR-PIB)                                 |
| 聚异丁烯 V 系列   | PolyIsoButene V series (PIB V series)                     |
| 乙二胺         | Ethylendiamine (EDA)                                      |
| 羟乙基乙二胺      | Aminoethylethanolamine (AEEA)                             |
| 二乙烯三胺       | Diethylentriamine (DETA)                                  |
| 高分子乙烯胺      | AMIX1000  |
| 三乙醇胺混胺      | AMIX TE   |

This annex (edition: 2020-12-21) is only valid in connection with the above-mentioned certificate.



**Annex to certificate**  
**Registration No. 403281 QM15**

**BASF-YPC Company Limited**

No 266, Ethylene Road, Luhe District  
210048, Nanjing  
China



|           |                                    |
|-----------|------------------------------------|
| 一乙醇胺      | Monoethanolamine Pure (MEOA)       |
| 二乙醇胺      | Diethanolamine Pure (DEOA)         |
| 三乙醇胺      | Triethanolamine Pure (TEOA)        |
| 68%哌嗪     | Piperazine 68% (PIP68%)            |
| 二甲基乙醇胺    | N,N-Dimethylethanolamine (DMEOA)   |
| 非离子表面活性剂  | Non Ionic Surfactant               |
| 丙烯酸二甲胺基乙酯 | Dimethylaminoethyl Acrylate (DMA3) |
| 超吸水聚合物    | Superabsorbent Polymer             |
| 90%新戊二醇溶液 | Neopentylglycol Solution 90%       |